

# Index

## A

AASHTO 213, 217, 218, 219, 220, 234, 235  
 Above Ground 7, 8, 80, 265, 325, 326, 327, 328, 329, 493, 495, 511, 514, 535, 594  
 Above Ground Piping Systems 265  
 Abrasion Resistance 55, 79, 94, 169  
 Acceptance Deflection 293  
 Access 329, 418, 429, 430, 432, 433, 435, 429, 504, 563  
 Advantages 7, 9, 43, 44, 159, 319, 347, 420, 435, 489, 493, 494, 496, 513, 540, 561, 563, 564  
 AGA 141, 171  
 Aging 210  
 Air Entrapment 387  
 Allman 211, 268  
 American Association of State Highway and Transportation Officials 218  
 American Society for Testing and Materials (ASTM) 346, 439  
 American Water Works Association (AWWA) 164  
 Anchor 26, 266, 312, 321, 332, 337, 338, 339, 340, 372, 373, 374, 413, 414, 427  
 Anchored 266  
 Anchoring 336, 345, 346, 385  
 ANSI 37, 88, 96, 153, 162, 163, 180, 267, 361, 369, 376  
 Apparent Modulus 12, 13, 57, 62, 63, 100, 101, 231, 232, 233, 250, 253, 281, 327, 328, 330, 333, 419, 422, 450, 454, 455, 457, 458, 464, 470, 473, 475  
 Apparent Tensile Strength 142  
 Appearance 37, 86, 141, 329

Applications 5, 6, 7, 10, 11, 12, 13, 15, 16, 25, 34, 39, 41, 43, 44, 48, 63, 65, 69, 71, 72, 73, 75, 79, 80, 85, 86, 87, 90, 95, 98, 99, 127, 145, 146, 149, 161, 162, 163, 164, 165, 166, 169, 170, 171, 172, 175, 177, 179, 180, 181, 195, 197, 203, 207, 212, 214, 215, 217, 238, 241, 246, 247, 252, 258, 262, 265, 266, 285, 288, 291, 294, 297, 300, 319, 325, 347, 363, 368, 376, 379, 381, 390, 401, 402, 403, 406, 422, 424, 426, 436, 445, 447, 451, 452, 455, 457, 483, 489, 483, 489, 494, 522, 537, 553, 561, 562, 563, 571, 579, 583, 586, 587, 589, 590, 595, 601  
 Arching 214, 216, 217, 230, 233, 240, 246, 247, 248, 249, 251, 283, 288, 293, 319, 449, 451, 452, 502  
 Armored 214, 525  
 Army Corps of Engineers 296  
 ASCE 268, 315, 441, 446, 460, 463, 472, 602, 603  
 Asphalt Dipped 192  
 Assembly 15, 141, 265, 302, 309, 349, 350, 355, 364, 365, 367, 368, 382, 392, 432, 436, 471, 541, 542, 545, 550, 551, 559  
 ASTM 7, 16, 24, 29, 30, 34, 37, 39, 40, 41, 47, 52, 57, 62, 64, 66, 68, 70, 73, 74, 79, 80, 81, 82, 83, 84, 86, 89, 90, 91, 92, 93, 99, 101, 103, 125, 127, 133, 134, 139, 141, 142, 143, 145, 146, 147, 148, 149, 150, 152, 153, 154, 156, 157, 158, 160, 162, 163, 164, 166, 167, 168, 170, 171, 172, 177, 178, 180, 181, 182, 188, 189, 213, 214, 220, 225, 231, 232, 234, 236, 238, 239, 267, 268, 272, 286, 290, 291, 294, 298, 316, 318, 344, 346, 349, 351, 352, 355, 357, 376, 392, 404, 414, 421, 429, 439, 440, 441, 446, 447, 457, 460, 464, 472, 487, 492, 493, 494, 496, 497, 498, 500, 503, 504, 505, 513, 515, 522, 526, 536, 553  
 ASTM D1248 47  
 ASTM D2683 515  
 ASTM D1586 236  
 ASTM D1598 66

ASTM D2321 213, 346, 439  
 ASTM D2513 180, 181, 188, 357, 376  
 ASTM D2774 213  
 ASTM D2837 68, 70, 82, 178, 346  
 ASTM D3035 188, 346  
 ASTM F894 189, 231, 232, 239, 376, 429, 439  
 Aude 199, 268  
 Average Inside Diameter 151, 189, 281, 500  
 AWWA 7, 13, 16, 37, 41, 72, 86, 98, 125, 142, 145, 149, 153, 154, 156, 164, 165, 166, 167, 172, 188, 189, 212, 213, 266, 267, 268, 291, 355, 361, 368, 369, 376, 377, 388, 439  
 AWWA C901 164, 179, 188, 189, 267, 376  
 AWWA C906 164, 179, 186, 188, 267  
 AWWA M55 388  
 Axial Bending Stress 478  
 Axial Tensile Stress 61, 460, 464, 480  
**B**  
 Backfill 25, 30, 31, 211, 236, 237, 285, 286, 287, 288, 290, 293, 295, 296, 297, 299, 301, 303, 306, 307, 309, 310, 311, 312, 313, 315, 319, 364, 386, 392, 400, 442, 488, 503, 508, 509, 568, 570, 571, 577, 579, 598  
 Ballast 304, 381, 382, 383, 386, 388, 389, 390, 391, 392, 393, 394, 396, 397, 399, 400, 401, 402, 403, 412, 413, 414, 415  
 Barbed Mechanical Fittings 514  
 Barrel 128, 129, 130, 135, 136, 143, 309, 314  
 Beard Removal 349  
 Beam Analysis 342, 343  
 Beam Deflection 340, 341, 342  
 Bedding 231, 282, 287, 289, 290, 295, 303, 304, 305, 307, 309, 310, 319, 380, 382, 392, 521

- Bell and Spigot 7, 26, 263, 265,  
266, 313, 320, 372, 373, 430, 432,  
433, 535
- Below Ground Installations 502
- Bend Radius 20, 289, 311, 312, 315,  
488, 505, 508, 509
- Bend-Back Test 142
- Bending Radii 399, 506
- Bending Strain Development 338
- Bending Stress 232, 341, 364, 388,  
464, 478
- Bent Strap Test 29
- Berm 329, 337
- Biological Resistance 91
- Blowing 516, 517
- Bolt Type Mechanical Flange  
Adapter 365
- Bolting 361, 365, 390
- Bore 130, 133, 138, 190, 193, 199,  
205, 206, 208, 281, 361, 364, 415,  
441, 442, 443, 444, 446, 460, 461,  
463, 464, 475, 477, 478, 480, , 488,  
495, 500, 502, 504
- Borehole 443, 444, 446, 448, 449,  
450, 451, 452, 455, 456, 459, 460,  
461, 462, 463, 465, 469, 471, 475
- Bowles 250, 253, 268
- Box 306, 354, 355, 515, 548, 587
- Bracing 289, 301, 304, 587
- Branch Saddles 372, 428, 436
- Breaker Plate/Screen Pack 130
- Bridge Structures 523
- Buckling 182, 183, 211, 212, 213,  
214, 215, 216, 230, 239, 240, 241,  
242, 243, 244, 246, 247, 252, 253,  
254, 258, 259, 260, 282, 383, 386,  
398, 399, 419, 420, 421, 437, 454,  
456, 457, 458, 470, 472, 473, 474,  
475, 476, 477, 481, 503
- Building Code 524
- Bundling 135
- Buoyant Force 254, 255, 281, 383,  
384, 385, 404, 461, 462, 475
- Burial of Fabricated PE Fittings  
313
- Buried PE Pipe Design 211
- Buried Piping Systems 265
- Butt Fusion 5, 26, 27, 28, 29, 35, 36,  
37, 159, 321, 348, 349, 377, 379,  
392, 402, 403, 430, 432, 500, 513,  
515, 545, 586
- C**
- C Factor 10
- Cable 38, 133, 403, 433, 434, 435,  
446, 493, 494, 495, 496, 498, 499,  
500, 501, 502, 504, 506, 508, 509,  
511, 512, 513, 514, 515, 516, 517,  
518, 519, 520, 521, 522, 523, 524,  
525, 526, 527, 556, 557, 558, 559,  
562, 566, 585, 586, 598
- California Bearing Ratio 319
- Canadian Standards Association  
145, 166, 172
- CANDE 231, 268, 292
- Capstan 443, 459, 460, 461, 462,  
511, 517
- Casing 28, 168, 224, 258, 488, 500,  
504, 537
- Cast Iron 192, 357, 364, 379, 425,  
556, 561, 593, 596
- Category 10, 65, 149, 152, 213, 230,  
357, 487, 496, 497
- Catenary 338
- Cell Classification 496
- Cement Mortar Relined 192
- Cement Stabilized Sand 296
- Chemical Resistance 8, 41, 54, 87,  
496, 497
- CIC 495
- Class 45, 67, 74, 95, 98, 165, 177,  
181, 182, 186, 294, 295, 296, 297,  
299, 300, 304, 307, 309, 310, 316,  
323, 361, 368, 572, 577, 582, 589
- Class II material 296, 297
- Class III 309, 310
- Clay 21, 90, 198, 200, 207, 209, 235,  
237, 240, 290, 297, 303, 316, 317,  
318, 328, 421, 438, 443, 444, 449,  
504, 561, 562, 565, 570, 589, 596
- Cleaning 27, 38, 210, 237, 430, 445,  
543, 582, 585
- Coarse Grain Soils 317
- Coefficient of Linear Expansion  
328
- COF 496, 518, 519, 520
- Cohesion 317, 318
- Cold Weather Handling 25
- Collapse 297, 303, 383, 398, 421,  
441, 443, 449, 454, 455, 458, 459,  
477, 478, 480, 481, 580
- Color 82, 84, 127, 128, 141, 148,  
495, 496, 498, 499
- Colorants 45, 55, 498
- Combustion Toxicity 93, 94
- Compaction 215, 230, 233, 234,  
236, 286, 290, 297, 298, 299, 300,  
309, 310, 313, 317, 318, 374, 503,  
508, 568, 571
- Compressed Air 400, 402, 516,  
517, 518, 557
- Compressible Gas Flow 188, 202
- Compression Fittings 159, 347,  
357, 514, 539, 593
- Compression Nut 356
- Compressive Ring Thrust 239, 247
- Compressive Stress 211, 212, 236,  
239, 240, 241, 244, 247, 248, 249,  
265, 283
- Concrete 139, 192, 207, 296, 303,  
311, 313, 322, 328, 332, 337, 364,  
372, 374, 379, 380, 389, 412, 413,  
425, 493, 508, 517, 561, 562, 565,  
568, 570, 596, 598, 601
- Conduit 2, 168, 172, 214, 356, 441,  
446, 447, 457, 472, 493, 494, 495,  
496, 498, 499, 500, 501, 502, 504,  
505, 506, 508, 510, 512, 513, 516,  
518, 523, 524, 525, 526, 527, 533
- Conduit Entry Issues 524
- Conduit Wall Determination 500
- Connection to Rigid Structure 336
- Connections 11, 263, 266, 308,  
311, 313, 320, 322, 347, 353, 357,  
361, 363, 364, 368, 371, 372, 418,  
426, 427, 428, 429, 436, 437, 488,  
559, 563, 564, 565, 566, 568, 569,  
576, 577, 582, 585, 586, 590, 593,  
594, 595
- Construction of the Land-to-Water  
Transition 392
- Continuous Beam Analysis 342,  
343
- Continuous Support 335, 345
- Contract Documents 25
- Contraction 76, 80, 103, 160, 263,  
311, 312, 313, 323, 328, 331, 372,  
374, 375, 465, 471, 488, 511, 512,  
513, 514, 516, 523, 537, 592
- Cooling 311, 353, 392, 483, 484,  
488, 520
- Copper Tubing Sizes 188, 356
- Corrugated Duct 522
- Cracking 142, 319, 330, 389, 413,  
490, 497, 526
- Cradle 344, 421

- Creep Rupture 94
- Critical Velocity 198
- Crown 31, 215, 216, 223, 224, 226, 229, 237, 238, 239, 242, 244, 245, 251, 258, 260, 283, 293, 304, 305, 306, 310, 374, 419, 445, 449, 451, 453, 461
- Crush 216, 230, 239, 503, 504, 522, 525
- CSA 86, 145, 149, 153, 154, 166, 172, 177, 180, 181, 182, 189
- CTS 351, 356, 357, 369
- Culvert Analysis and Design 231
- Cumulative Deflection Effects 342
- Currents 380, 384, 389, 391, 397, 399, 400, 403, 406
- Curvature 237, 238, 240, 259, 443, 460, 462, 464, 470, 471, 478, 499, 520, 521, 548
- D**
- D3350 147, 149, 150, 156, 157, 429, 439
- Damage 11, 19, 20, 21, 22, 25, 27, 28, 38, 44, 56, 75, 76, 79, 87, 92, 170, 172, 181, 210, 286, 293, 309, 310, 329, 330, 335, 391, 393, 396, 401, 403, 417, 418, 441, 442, 445, 489, 490, 494, 502, 535, 536, 537, 538, 539, 541, 544, 546, 547, 551, 553, 555, 571, 598
- Deep Fill 319
- Deep Fill Installation 214, 217, 230, 240, 246
- Definitions of Symbols 527
- Deflection 28, 30, 31, 192, 230, 231, 232, 234, 236, 237, 238, 249, 268, 282, 286, 287, 288, 291, 292, 293, 294, 295, 297, 304, 305, 315, 319, 335, 338, 339, 340, 341, 342, 343, 344, 356, 388, 398, 402, 406, 420, 454, 455, 456, 457, 473, 476, 496, 501, 502, 503, 504, 505
- Deformation Factor 250, 251
- Density 30, 126, 127, 141, 147, 148, 150, 171, 172, 180, 181, 191, 216, 232, 233, 234, 237, 248, 255, 256, 281, 283, 290, 341, 374, 379, 383, 384, 385, 389, 405, 406, 412, 421, 422, 423, 456, 461, 479, 493, 494, 496, 501, 526, 556, 561, 571, 572, 584
- Design 6, 10, 11, 12, 13, 15, 16, 28, 33, 35, 36, 40, 43, 44, 45, 46, 56, 57, 63, 64, 65, 67, 69, 74, 79, 80, 83, 88, 95, 97, 99, 101, 128, 129, 130, 132, 141, 145, 147, 148, 149, 150, 151, 154, 155, 156, 158, 160, 161, 164, 165, 175, 177, 178, 179, 180, 188, 192, 196, 211, 212, 213, 214, 230, 231, 238, 254, 262, 263, 265, 266, 267, 268, 281, 282, 325, 326, 327, 330, 331, 332, 334, 336, 341, 343, 344, 346, 347, 353, 356, 357, 365, 366, 368, 369, 371, 376, 380, 381, 382, 383, 387, 388, 389, 390, 392, 395, 399, 400, 401, 402, 403, 406, 407, 408, 411, 413, 418, 426, 439, 440, 441, 442, 443, 444, 446, 447, 448, 450, 451, 454, 456, 458, 459, 464, 471, 483, 485, 486, 489, 490, 491, 501, 502, 503, 505, 512, 514, 516, 519, 522, 523, 537, 540, 566, 568, 602
- Design Window 212, 213, 266
- DF 65, 67, 88, 95, 155, 156, 158, , 179, 180, 249, 251, 281
- Diameters 7, 9, 95, 96, 125, 151, 152, 154, 165, 196, 199, 230, 254, 308, 336, 337, 352, 354, 392, 418, 419, 420, 500, 561, 583, 588, 599
- Digging 305, 506, 507, 525, 588, 600
- Dimension Ratio 33, 95, 152, 154, 178, 231, 239, 242, 250, 259, 281, 282, 286, 382, 384, 420, 447, 457, 458, 465, 472, 477, 500, 503
- Dimensions 31, 76, 77, 86, 132, 136, 142, 154, 162, 164, 165, 176, 188, 189, 226, 228, 283, 331, 335, 352, 412, 413, 431, 434, 499, 573, 577, 578
- DIPS 152, 165, 188, 323, 467, 469, 546, 583
- Direct Plow 495, 502
- Directional Bores 510
- Directional Drilling 6, 9, 44, 168, 172, 214, 403, 441, 442, 444, 445, 446, 447, 457, 460, 472, 493, 497, 503, 505, 522, 560
- Disinfecting Water Mains 37, 41
- Disinfection 169, 577
- Dissipation Factor 103
- Distributed Loads 225, 228
- DR 24, 33, 34, 68, 95, 96, 152, 153, 154, 178, 179, 182, 183, 184, 188, 189, 196, 209, 212, 213, 215, 217, 230, 231, 232, 233, 237, 238, 239, 240, 241, 242, 243, 244, 247, 248, 250, 258, 259, 260, 267, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 286, 288, 291, 312, 319, 322, 323, 346, 349, 366, 382, 383, 384, 385, 398, 399, 404, 420, 421, 422, 431, 509, 510, 544, 545, 546, 571, 579
- Drag Resistance 461
- Drawn Tubing 192
- Dredging 94, 381, 392, 402, 403
- Drilling Mud 443, 444, 448, 449, 456, 469
- Drilling Process 442
- Ductile 6, 7, 11, 12, 25, 26, 64, 65, 69, 72, 73, 74, 77, 139, 152, 157, 165, 175, 188, 207, 319, 320, 327, 356, 357, 361, 368, 448, 542, 559
- Ductility 8, 11, 12, 39, 47, 51, 73, 79, 84, 149, 380, 495
- Duncan 233, 235, 268
- E**
- E' 212, 213, 215, 230, 231, 233, 234, 235, 236, 237, 242, 243, 246, 249, 267, 268, 281
- E'N 235, 236, 237
- Earth and Groundwater Pressure 450, 453, 456
- Earth Load 215, 216, 231, 232, 237, 239, 240, 247, 282, 288, 459
- Earth Pressure 213, 239, 319, 448, 449, 451, 452, 453, 454, 459, 583, 588
- Effluent 379, 380, 395, 400, 403
- Electrofusion 7, 26, 138, 139, 159, 160, 314, 347, 353, 354, 355, 371, 428, 432, 513, 515, 536, 539, 546, 547, 548, 593
- Elevation Changes 194
- Elongation 86, 434
- Embankment 213, 230, 439

- Embedment 20, 30, 31, 60, 212, 215, 217, 230, 232, 233, 234, 235, 236, 237, 241, 243, 245, 246, 248, 252, 253, 258, 262, 286, 287, 288, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 309, 310, 311, 314, 315, 316, 317, 318, 319, 371, 456, 484, , 507, 521
- End Restrained Thermal Effects 264
- Engineering Properties 6, 13, 76, 149, 262, 326, 457, 458, 464, 496, 498
- Enveloping Soil 292
- Environmental Stress Crack Resistance 126, 168
- Equipment 7, 9, 20, 21, 22, 25, 26, 27, 28, 29, 32, 34, 35, 36, 37, 39, 129, 135, 163, 215, 218, 221, 237, 290, 329, 347, 351, 355, 361, 372, 376, 379, 392, 393, 396, 401, 403, 429, 431, 435, 445, 491, 506, 509, 510, 511, 515, 516, 517, 521, 522, 539, 542, 572, 574, 586, 598
- Equivalent Length of Pipe 193
- ESCR 126, 147, 168, 497, 498
- Existing Pipe 208, 418, 419, 421, 423, 424, 427, 429, 430, 432, 433, 435, 436, 438, 545, 548, 555, 558, 559, 564, 565, 568, 569, 570, 571, 572, 586, 596, 601
- Expansion Joints 263, 514
- Exposure to UV and Weather 24
- External Hydraulic Load 480
- External load 188, 450, 451, 453, 454, 504
- External Pressure 26, 183, 239, 241, 242, 259, 398, 421, 447, 448, 449, 450, 452, 457, 458, 459, 469, 470
- Extruded Profile Pipe 31
- Extruder 128, 129, 130, 134, 135, 136
- Extrusion 26, 28, 30, 47, 52, 83, 126, 127, 128, 129, 143, 430, 432, 436, 526
- F**
- Fabricated Fittings 171
- Factory Mutual Research 166
- Fat Clays 316
- FDA 92
- Features 2, 6, 77, 128, 379, 402, 403, 486, 495, 569
- Field Effects of Friction 520
- Field Fusion Joining 27
- Field Handling 20
- Field Joining 28, 56
- Fine Grain Soil 318
- Finish 132
- Fire Protection 166, 313, 314
- Fittings 7, 8, 13, 15, 16, 18, 22, 43, 44, 45, 55, 65, 79, 92, 125, 135, 136, 137, 138, 139, 140, 142, 145, 152, 155, 159, 160, 161, 162, 163, 164, 166, 188, 193, 197, 311, 313, 314, 315, 320, 321, 347, 348, 355, 356, 357, 365, 368, 369, 371, 372, 376, 379, 395, 400, 402, 403, 436, 437, 486, 487, 498, 513, 514, 515, 536, 539, 540, 541, 548, 553, 568, 569, 589, 590, 593, 595, 601
- Flame Retardant 92, 523
- Flammability 92
- Flange Adapter 321, 360, 362, 363, 365, 544, 546
- Flange Assembly 364, 395
- Flange Gasket 363
- Flanges 26, 159, 314, 320, 347, 361, 363, 364, 368, 395, 402, 437, 513, 545, 593
- Flat-bottomed Ballasts 389
- Flattening 237
- Flexibility 8, 39, 43, 192, 286, 376, 379, 483, 489, 490, 493, 495, 496, 510, 520, 522, 561, 562
- Flexible Pavement 220, 221
- Flexible Pipe 218, 286, 315, 316, 319, 440
- Flexural Modulus 82, 83, 47, 148, 496
- Float 254, 297, 303, 381, 385, 386, 391, 392, 395, 397, 400, 401, 403, 461, 212, 214, 230, 254
- Flotation 214, 230, 253, 254, 255, 257, 260, 300, 402
- Flow Capacity 54, 188, 192, 208, 210, 398, 418, 419, 424, 425, 426, 439, 447, 562, 563
- Flows for Slipliners 208, 209
- Flushing 488
- FM 139, 166
- Fold and Form 438
- Food and Drug Administration 92
- Forklift 21, 22
- Foundation 30, 225, 287, 315, 364, 402
- Fracture Mechanics 93, 156, 157
- Freeze Tolerant 490
- Friction 43, 85, 89, 190, 191, 193, 195, 196, 197, 198, 202, 205, 206, 209, 245, 254, 281, 282, 284, 332, 339, 393, 424, 452, 461, 462, 463, 480, 495, 496, 500, 505, 516, 517, 518, 519, 520, 521, 522, 527, 556, 562, 570, 571, 578, 579, 580, 581, 584, 586, 588, 601
- Frictional Forces 526, 579
- Fuel Oil 87, 179
- Fusion 5, 19, 26, 27, 28, 29, 30, 35, 36, 37, 44, 55, 82, 91, 125, 138, 139, 146, 159, 160, 195, 208, 263, 291, 293, 312, 321, 329, 347, 348, 349, 350, 351, 352, 353, 354, 355, 360, 361, 362, 371, 376, 379, 391, 392, 401, 402, 403, 417, 427, 428, 430, 432, 436, 437, 444, 483, 487, 500, 513, 515, 516, 535, 538, 546, 585, 596
- G**
- Galvanized Iron 192
- Gas Flow 40, 188, 202, 536
- Gas Permeation 89, 204
- Gaube 214, 246, 249, 250, 251, 252, 268
- General Guidelines 170, 289, 304, 444, 487, 535
- Geotechnical 216, 248, 249, 250, 251, 300, 446, 576, 587
- Geotextile Separation Fabrics 296
- Geothermal Heat Pump Systems 492
- Glass Transition Temperature 56, 497
- Grade Beam 336
- Gravel 200, 237, 290, 294, 316, 408, 410, 589, 598
- Gravity 1, 82, 170, 172, 188, 198, 202, 203, 205, 206, 208, 209, 210, 241, 266, 283, 291, 293, 294, 315, 319, 376, 417, 418, 419, 424, 425, 427, 429, 436, 437, 445, 479, 491, 562, 563, 571, 583, 589, 595
- Ground Source Heat Pump Systems 483

Ground Water 212, 230, 240, 241, 242, 243, 247, 250, 252, 254, 255, 256, 258, 261, 281, 282, 287, 295, 297, 299, 317, 437, 449, 503, 555, 584

## H

H<sub>2</sub>O 203, 222, 282, 454

Handling 1, 2, 11, 13, 20, 21, 25, 41, 43, 85, 126, 134, 135, 139, 156, 158, 260, 290, 315, 327, 348, 379, 444, 497, 577

Hardness 47, 363

Haunching 287, 295, 298, 309, 310

Hazen-Williams 195, 196, 202, 206, 281, 424, 425

HDB 66, 148, 155, 156, 157, 158, 159, 161, 169, 171, 179, 180, 282

HDD 6, 9, 44, 168, 172, 214, 441, 442, 444, 445, 446, 447, 448, 450, 451, 452, 454, 456, 457, 459, 460, 470, 471, 472, 505, 560, 561

HDPE 6, 68, 94, 170, 171, 172, 179, 181, 395, 402, 403, 407, 408, 410, 413, 455, 484, 485, 486, 487, 493, 561, 579

HDS 177, 178, 179, 180, 181, 265

Head Loss 188, 195, 196, 202

Health Effects 92, 93, 164

Heat Pump Systems 483, 492

High Pressure 38, 46, 130, 135, 202, 327, 364, 489, 517

High Temperature 489, 490, 491

Hoop 66, 70, 71, 150, 155, 211, 239, 247, 249, 312, 322, 457, 459, 470

Horizontal Directional Drilling 44, 214

Howard 230, 233, 234, 236, 267, 268, 292, 315

HSB 158, 161

HVAC 2, 483

Hydrokinetic 459, 460, 463, 464, 469, 470, 480, 481

Hydrostatic Design Basis 66, 67, 93, 95, 98, 143, 147, 149, 151, 155, 156, 499

Hydrostatic Design Stress 33, 57, 65, 67, 69, 74, 95, 97, 177, 178, 179, 265, 330, 382, 419, 420, 421

Hydrostatic Pressure 34, 64, 66, 99, 155, 157, 158, 240, 254, 383, 443, 447, 448, 451

Hydrostatic Strength 57, 65, 66, 67, 74, 75, 86, 87, 147, 497

Hydrostatic Stress Board 127, 158, 161

Hydrostatic Testing 32, 34, 344

## I

ICC 165

ID Controlled Pipe 189

IGSHPA 486, 487, 489

IGT Distribution Equation 203

Immersion Test 86

Impact 9, 25, 29, 53, 56, 77, 79, 82, 86, 168, 217, 218, 219, 220, 221, 222, 223, 224, 225, 245, 247, 264, 282, 286, 288, 298, 299, 300, 310, 325, 326, 327, 330, 403, 409, 424, 483, 494, 495, 496, 497, 498, 556, 568, 572, 578, 586

Infiltration 297, 417, 426, 427, 437, 439, 513, 555

Influence Value 225, 226, 228, 282

Infrastructure 417, 439, 442, 573

Injection Molded Fittings 125

Innerducts 493, 499, 500, 502, 504, 505, 519, 525

Inspection 2, 18, 30, 238, 288, 293, 315, 325, 355, 404, 417, 429, 430, 444, 568, 578, 585, 586, 594

Installation 1, 2, 6, 7, 8, 9, 11, 13, 15, 18, 19, 22, 25, 26, 28, 29, 30, 37, 40, 41, 43, 44, 63, 65, 73, 79, 80, 85, 139, 155, 158, 159, 165, 208, 211, 212, 213, 215, 217, 233, 236, 244, 249, 260, 263, 267, 286, 288, 289, 291, 292, 294, 296, 302, 306, 312, 316, 319, 325, 326, 329, 330, 331, 334, 335, 336, 337, 344, 345, 346, 349, 359, 372, 376, 381, 387, 388, 392, 394, 397, 401, 402, 423, 428, 429, 431, 432, 433, 435, 436, 437, 439, 441, 442, 446, 447, 448, 451, 456, 459, 460, 469, 470, 471, 475, 483, 485, 486, 487, 488, 489, 492, 493, 495, 496, 497, 498, 499, 500, 501, 503, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 517, 518, 521, 522, 523, 524, 525, 526, 536, 537, 539, 547, 548, 549, 553, 570, 571, 577, 581, 583, 586, 589, 594

Intermittent Support 335

Internal Pressure 32, 39, 149, 155, 160, 179, 188, 195, 196, 204, 206, 238, 239, 241, 282, 312, 322, 326, 382, 383, 423, 448, 449, 457, 459, 497, 499, 512, 583

Internal Pressure 63

International Ground Source Heat Pump Association 486, 489, 492

International Organization for Standardization 93

International Plumbing Code 165

Iowa Formula 213, 231, 232, 236, 456, 503

IPC 165

IPS 39, 139, 141, 152, 165, 188, 196, 273, 347, 356, 357, 367, 410, 412, 413, 466, 468, 472, 474, 546, 583

Iron Pipe Size 165, 347

ISO 147, 151, 152, 162, 163, 165, 166, 177

Izod 77, 78, 79, 498

## J

Janson 268, 386, 390, 398, 404, 407, 410

Jetting 300, 517

Joining 5, 16, 19, 26, 27, 28, 56, 82, 138, 141, 146, 156, 159, 160, 302, 329, 347, 352, 355, 356, 358, 376, 381, 391, 393, 402, 403, 417, 430, 442, 445, 486, 487, 500, 512, 513, 514, 515, 516, 541, 546, 547, 553, 577, 590

Joint 26, 28, 29, 32, 35, 36, 37, 90, 138, 139, 159, 160, 208, 263, 311, 312, 314, 320, 321, 322, 325, 345, 379, 401, 402, 432, 436, 442, 460, 486, 487, 500, 513, 515, 516, 518, 536, 538, 542, 545, 546, 548, 593

## K

Katona 231, 268

K<sub>BULK</sub> 184, 282

Kinetic COF 518

Knight 456, 472

## L

L/D ratio 130

Lag Factor 231, 236, 282, 297

Land-to-Water Transition 382, 392, 401

- Landfill Gas 203
- Lateral Connections 429, 436, 563, 564, 565, 566, 568, 569, 576, 577, 582, 586, 594
- Lateral Deflection 338
- Launching 38, 381, 391, 393, 395, 396
- Leak 26, 28, 32, 33, 34, 35, 36, 37, 535, 537, 546
- Leak Free 7, 417, 535, 546
- Leak Test 32, 33, 34, 35, 36, 37, 536
- Load Per Unit Length 341, 342, 343
- Loading 11, 12, 13, 43, 44, 60, 61, 63, 64, 66, 73, 75, 77, 84, 99, 135, 158, 160, 181, 213, 216, 217, 218, 219, 220, 221, 222, 224, 230, 241, 242, 243, 262, 290, 291, 292, 297, 301, 308, 310, 326, 344, 380, 386, 388, 396, , 420, 421, 422, 423, 437, 450, 451, 452, 453, 455, 461, 473, 475, 476, 498, 501, 502, 503, 504, 505, 506, 519, 520, 521, 579
- Long-Term Hydrostatic Strength 65, 67, 75, 86, 87, 155, 158
- Long-Term Loading 243, 455, 502
- Longitudinal Force vs. Temperature Change 333
- Longitudinal Stress vs. Temperature Change 332
- Loose Storage Stacking Height 24
- Love's Equation 419, 420, 421
- Low Pressure 16, 35, 36, 37, 46, 203, 291, 517, 537
- Low Temperature 55, 327, 490, 495
- LPG 87, 88, 180
- LTHS 57, 65, 66, 67, 68, 69, 70, 71, 72, 74, 75, 155, 158, 170
- Lubricants 516, 517, 519, 520
- M**
- Make-Up Water 489
- Manhole Placements 427
- Manning 206, 207, 424, 425, 562, 563
- Manual 39, 72, 98, 141, 142, 143, 165, 208, 291, 441, 442, 445, 472, 506, 588, 601
- Marking 134, 162, 498, 568
- Marston 247, 268
- Material Properties 1, 12, 43, 455
- Material Selection 496, 511
- Maxwell Model 59
- MDPE 7, 179, 181, 455, 556, 561, 579
- Measuring Density 318
- Mechanical Connections 320, 322, 347, 357, 372, 395, 418, 487
- Mechanical Couplings 26, 139, 170, 172, 311, 513, 540
- Mechanical Fittings 7, 159, 347, 356, 379, 403, 436, 487, 513, 514, 536, 540, 541, 593
- Mechanical Impact 300, 325, 326
- Mechanical Properties 44, 50, 501
- Mechanical Protection 493
- Mechanical Pulling Heads 434
- Mechanical Stress 494, 498, 506
- Melt Index 52, 82, 83, 126, 147, 148, 496
- Mesh 130, 200
- Migration 294, 295, 296, 303, 306, 307, 309, 316, 437, 589
- Mining 266, 326
- MJ Adapter 320, 321, 365, 367, 369, 370, 372, 593
- Model Specifications 159
- Modulus 50, 57, 58, 61, 62, 63, 64, 75, 80, 82, 83, 99, 101, 147, 148, 184, 215, 231, 232, 233, 235, 241, 242, 243, 247, 248, 249, 250, 251, 252, 253, 259, 260, 261, 262, 263, 264, 265, 281, 282, 327, 328, 330, 333, 334, 342, 343, 419, 422, 450, 454, 455, 457, 458, 464, 469, 470, 473, 474, 475, 496, 579
- Modulus of Soil Reaction Values 268
- Molded Fittings 16, 125, 135, 138, 139
- Moody Diagram 190, 193
- Moore-Selig Equation 214, 241, 252, 253
- Mounting 138, 382, 393, 492
- MRS 143, 158, 159, 161, 169, 177
- Ms 247, 248, 282
- MS-3 172
- Mueller Equation 202, 203
- Multi-Cell Conduit 525
- N**
- Native Soil 212, 287, 293, 301, 302, 304, 307, 310, 456, 471, 570, 571
- O**
- Open Trench 289, 300, 309, 493, 507, 521
- Organic Silts 256, 304, 316, 317
- Original Line 418, 424, 429
- Ovality 31, 142, 259, 260, 281, 419, 420, 458, 473, 474, 476, 481, 507
- Ovality Compensation Factor 260, 419, 458, 473, 474, 481
- Ovality Correction Factor 259, 281, 420
- Ovalization 398, 455, 501, 502, 505, 507
- P**
- Packing List 19
- Particle Size 197, 198, 290, 296, 316, 392, 490, 498
- Particle Size 80
- Passive Resistance 211, 291, 502
- Path Profile 477
- Pavement (Rigid) 219
- PC 67, 68, 86, 87, 95, 96, 97, 98, 177, 181, 182, 186, 187, 231, 282
- PDB 143, 158, 159, 161, 169, 177
- PE 2406 102
- PE 3408 186, 244
- PE 3710 102, 178
- PE 4710 54, 68, 102, 178, 237, 330, 332, 339
- PE Pipe to PVC 366
- PE Pipe to Steel 370
- PE Plastics 45
- Performance Limits 211, 213, 216, 239, 246, 355, 454
- Permeability 55, 88, 204, 282, 295, 303, 318
- Permeation 8, 53, 89, 90, 94, 204,
- PEX 1, 158, 161, 170
- Physical Properties 2, 9, 11, 47, 50, 53, 54, 81, 126, 128, 141, 176, 496, 497
- Physical Property Tests 142
- Pilot Hole 442, 443, 445



- Pipe Bursting 9, 25, 214, 438, 495, 586, 593, 599, 600, 602, 555, 557, 561, 562, 564, 565, 570, 573, 582
- Pipe Deflection 28, 30, 192, 268, 291, 293, 295, 388, 398, 422, 456
- Pipe Deformation 262, 287, 291
- Pipe Directly Beneath a Surcharge Load 225
- Pipe Embedment 230, 233, 286, 290, 293
- Pipe Extrusion 30, 126, 143
- Pipe Hanger 344
- Pipe ID for Flow Calculations 188
- Pipe Installation 19, 29, 233, 286, 316, 335, 392, 471, 487, 571
- Pipe Joining Methods 486
- Pipe Length vs. Temperature Change 331
- Pipe Liner Diameter 418
- Pipe Restraint 356
- Pipe Specifications and Requirements 486
- Pipe Splitting 438, 559, 560
- Pipe Support in Transition 308
- Pipe Trench 287
- Pipe Wall Buckling 240, 258
- Pipe Wall Buckling 458
- Pipeline Being Floated Out 396
- PL 222, 223, 224, 225, 226, 228, 229, 231, 239, 245, 282
- Placement Planning 521
- Plastometer 52, 83
- Plenum 524
- Plow 9, 302, 488, 495, 501, 502, 509
- Plowing 302, 493, 503, 507, 509, 510, 523, 525
- Plumbing Codes 165
- Pneumatic Testing 35
- Poisson's Ratio 76, 102, 312, 419, 458, 473, 474, 475
- Polymer Characteristics 47
- Polymeric Water-Soluble 519
- Portable Trench Shield 305, 306
- Post-Installation Survey 401
- PPI 1, 2, 3, 20, 26, 27, 41, 71, 72, 82, 86, 87, 88, 90, 92, 93, 94, 97, 127, 141, 143, 145, 150, 158, 159, 160, 161, 169, 170, 171, 172, 177, 178, 181, 263, 267, 268, 326, 344, 349, 351, 377, 406, 490, 491, 497, 514, 515, 538, 545
- PR 67, 68, 86, 87, 95, 96, 97, 151, 152, 153, 154, 171, 177, 178, 179, 180, 181, 182, 183, 186, 187, 267
- Pre-Installation Storage 22
- Preparing the Land-to-Water Transition Zone 382
- Pressure 1, 5, 8, 10, 11, 16, 26, 28, 32, 33, 34, 35, 36, 37, 38, 39, 41, 43, 44, 46, 47, 48, 53, 54, 55, 62, 63, 64, 65, 66, 67, 69, 70, 71, 72, 74, 75, 76, 79, 84, 86, 88, 95, 98, 99, 101, 102, 127, 129, 130, 131, 132, 133, 134, 135, 136, 138, 139, 142, 145, 149, 150, 151, 152, 153, 154, 155, 157, 158, 159, 160, 161, 164, 165, 170, 173, 175, 177, 178, 180, 181, 182, 183, 185, 186, 187, 195, 197, 202, 203, 212, 215, 220, 221, 225, 226, 231, 239, 248, 267, 268, 282, 283, 288, 289, 290, 291, 293, 297, 300, 303, 312, 315, 319, 320, 321, 322, 323, 326, 327, 330, 344, 348, 355, 356, 357, 361, 363, 364, 369, 375, 377, 382, 383, 392, 398, 400, 415, 417, 419, 420, 421, 423, 428, 429, 436, 437, 438, 440, 443, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 462, 463, 469, 470, 471, 473, 474, 475, 476, 477, 480, 481, 486, 487, 488, 489, 490, 492, 497, 499, 502, 507, 512, 514, 515, 517, 518, 522, 536, 554, 555, 558, 563, 570, 571, 578, 580, 581, 583, 584, 587, 588, 589, 595, 602, 603
- Pressure Capability 327, 330, 428
- Pressure Capacity 175
- Pressure Class 67, 74, 95, 98, 177, 181, 182, 186
- Pressure Flow 80, 195, 197
- Pressure Pipe 26, 39, 64, 69, 71, 72, 75, 127, 150, 151, 155, 158, 164, 165, 175, 238, 241, 262, 289, 290, 297, 319, 320, 363, 392, 456, 487, 507, 536
- Pressure Rating 35, 36, 65, 67, 74, 76, 88, 95, 102, 134, 139, 145, 151, 152, 154, 157, 160, 177, 180, 181, 186, 283, 326, 327, 328, 330, 382, 400, 447, 571
- Pressure Surge 177, 183, 184, 185, 322
- Pressure Test 142
- Pressure Testing 321
- Primary Initial Backfill 287, 299, 307, 310
- Prism 213, 216, 217, 233, 236, 237, 242, 243, 248, 249, 251, 301, 449, 452, 453, 473
- Proctor 212, 234, 237, 248, 290, 298, 299, 300, 307, 309, 313, 314, 318, 374
- Product Design 447
- Profile Pipe 125, 133, 214, 215, 217, 232, 233, 239, 240, 241, 244, 245, 246, 248, 250, 258, 281, 432, 433
- Profile Wall 1, 17, 125, 126, 130, 133, 145, 149, 231, 232, 238, 239, 240, 244, 247, 248, 281, 291, 422
- Proofing 510
- Proper Transition 309
- Properties of Gases 205
- Properties of Water 196
- Protection 22, 25
- Pull-line construction 520
- Pulling 20, 44, 63, 99, 134, 266, 305, 312, 315, 396, 399, 430, 431, 433, 434, 443, 444, 447, 455, 459, 460, 461, 462, 463, 464, 469, 470, 474, 480, 495, 497, 499, 505, 506, 508, 510, 511, 513, 516, 517, 519, 520, 521, 526, 527, 556, 557, 558, 559, 561, 566, 568, 569, 570, 571, 572, 576, 577, 578, 579, 581, 582, 583, 585, 586, 587, 588, 589, 590, 596, 598, 601
- Purchase Order 19
- Purging 488
- Push 320, 396, 400, 433, 435, 461, 499, 508, 521, 557
- Pushing Technique 435
- PVC 7, 9, 10, 13, 26, 41, 45, 93, 158, 170, 177, 181, 182, 186, 187, 231, 267, 268, 282, 313, 320, 357, 358, 365, 366, 367, 368, 370, 375, 377, 425, 439, 493, 494, 498, 502, 504, 507, 520, 524, 542, 592, 593, 595, 596, 599, 601
- Q**
- Quality Assurance 28, 141, 143, 430, 498, 577

Quality Control 125, 126, 127, 141, 154, 577

## R

Radius of Curvature 259, 443, 462, 464, 470, 471, 478, 499

Railroad Loading 225

Rapid Crack Propagation 56, 77, 79, 327

Rate Process Method 170

Ravine Crossing 335

Raw Materials 127

RCP 79, 327, 559, 561, 562, 573, 582, 599

Reaming 442, 443, 470, 471, 560

Receiving Report 19

Reduction Factor 33, 34, 67, 155, 235, 242, 243, 283, 384, 470, 474, 481, 585

Reel Method 511, 512

Rehabilitation Methods 437

Repair Clamps 537, 568

Repair Operations 494

Repairs 2, 35, 36, 494, 496, 510, 516, 535, 536, 537, 553, 561, 565, 566, 570, 576

Reporting Damage 19

Required Strength 177

Required Weighting 383, 387

Resistance to External Collapse 470

Restrained Joints 7, 313, 320, 372

Restrained Pipelines 336

Restraining 7, 321, 332, 336, 369, 550

Reynolds Numbers 198

Rigid Pavement 219, 220

Rigidity Factor 250, 251

Ring Compression 240

Ring Stiffness 231, 232, 283, 292, 297, 383, 422

Riser Raceways 524

River Crossings 214, 396, 397

Riveted Steel 192, 425

Roadway 218, 329

Rock Trench Bottom 309

Rodent and Mechanical Protection 525

Rolldown 438

## S

Saddle Fusion 19, 26, 137, 160, 169, 171, 350, 351, 371, 538

Safe Deflection Limits for Pressurized Pipe 238

Safe Pull Load 455, 579

Safe Pull Stress 455, 465, 477, 579

Safe Pull Tensile Stress 455

Safety 2, 6, 15, 32, 65, 74, 85, 86, 88, 135, 143, 154, 155, 163, 183, 211, 212, 224, 234, 238, 242, 245, 246, 253, 259, 260, 282, 289, 290, 293, 300, 304, 306, 312, 347, 376, 380, 381, 382, 383, 400, 421, 422, 431, 488, 499, 510, 536, 564, 573, 577, 584, 587, 588, 589, 598

Safety Factor 65, 211, 212, 234, 238, 242, 245, 246, 253, 259, 260, 282, 293, 380, 382, 383, 421, 422

Sand Stabilized with Cement 313, 314

Saturated and Dry Soil Unit Weight 256

Scale 37, 53, 85, 200, 403, 501

Scrapes 19, 28

Screen Mesh 200

Screen Pack 130

Screw 39, 128, 129, 130, 134, 135, 138

SDB 134, 159, 161, 169, 177

SDR 96, 134, 152, 153, 154, 161, 165, 169, 171, 184, 186, 189, 238, 243, 252, 253, 267, 272, 293, 297, 330, 332, 339, 360, 381, 382, 384, 385, 457, 470, 471, 477, 500, 502, 503, 505, 507, 522, 550, 582, 583, 586, 587, 592

Secondary Initial Backfill 287, 297, 309, 310

Seismic 8, 43

Select a Pipe Liner Diameter 418

Selection of an Appropriate Site for Staging, Joining and Launching The Pipe 381

Service and Lateral Connections 429

Service Connections 427

Service Life 7, 9, 67, 73, 74, 79, 91, 167, 197, 328, 39, 40, 448, 497, 498, 500, 555

Service Temperatures 178

Shallow Cover 212, 216, 241, 244, 245, 254, 258, 291, 297, 309

Sheathing 303, 304, 305

Sheeting 303, 304, 305

Shield 25, 27, 305, 306

Shipping Claims 20

SIDR 152, 153, 154, 171, 267, 356, 500, 522

Silo 17, 22, 452

Silt 198, 200, 303, 317, 392, 423, 513

Sizing 126, 132, 133, 134, 152, 188, 443, 500, 501, 521, 588

Slipliners 208, 209

Sliplining 208

Sloping The Trench Wall 289

Slow Crack Growth 53, 54, 57, 64, 66, 69, 70, 71, 73, 74, 76, 87, 126, 147, 148, 157, 168, 497, 526

Slurry 46, 79, 188, 197, 198, 199, 202, 209, 283, 325, 403, 508

Smooth Pipe(S) 10, 192

Soft Pigs 38

Softening 55

Soil Arching 246

Soil Classification 233, 316

Soil Pressure 211, 221, 448, 450, 454, 471, 502, 570, 581

Soil Reaction 215, 233, 235, 242, 249, 281, 299

Soil Support Factor 231, 235, 236, 237, 281

Soil Tests 28, 308

Soil Type 215, 292

Soil Unit Weight 256

Solar 170, 483, 489, 490

Solid Wall 1, 6, 24, 125, 126, 130, 132, 145, 149, 231, 233, 242, 253, 291, 313, 419, 420, 421, 425, 430, 432, 433, 435, 496, 500, 526, 595

Spacing Of Ballasts 388

Span 155, 341, 342, 343, 363, 521, 543

Spangler 230, 231, 232, 233, 236, 238, 246, 268, 292, 456, 472, 503

Special Applications 2, 10, 44, 495

Specific Gravity 82, 198, 202, 203, 283, 479

Specific Heat 81, 103

Specifications 2, 11, 15, 25, 29, 30, 57, 67, 125, 134, 141, 142, 145, 159, 160, 161, 167, 212, 289, 355, 486, 492, 493, 535, 537, 566, 568, 576, 577, 578, 581



- Spitzglass Equation 203
- Springline 235, 238, 258, 293, 299, 302, 305, 435, 453
- Stab Type Fitting 357
- Stability 23, 30, 91, 211, 237, 239, 289, 293, 299, 301, 303, 304, 307, 308, 387, 391, 423, 427, 430, 495, 587, 598
- Stabilization 24, 384, 91, 03, 392, 437, 498, 598
- Stabilizer 84, 90, 91, 92, 496
- Stable 91, 212, 249, 289, 301, 302, 303, 304, 306, 307, 319, 326, 364, 400, 402, 403, 421, 450, 451, 488, 508, 581
- Stacking Heights 23
- Staging 22, 381, 391, 443, 569, 586
- Standard Mesh 200
- Standard Practice 160, 162, 168, 171, 172, 294, 392, 595
- Standard Proctor 212, 237, 248, 290, 298, 299, 307, 309, 313, 314, 318, 374
- Standard Specification(S) 57, 67, 145, 159, 232, 267
- Standard Test Method 52, 73, 79, 80, 83, 84, 92, 101, 142
- Static Charge 40, 85
- Static COF 518
- Stationary Reel 508, 511, 512
- Steel 9, 12, 79, 81, 130, 139, 141, 192, 207, 304, 305, 333, 334, 357, 359, 361, 367, 390, 400, 414, 425, 437, 439, 442, 462, 471, 504, 539, 549, 559, 571, 587, 595
- Stiffener 320, 356, 357, 358, 359, 360, 361, 365, 366, 367, 371, 375, 539, 540, 542, 543, 548, 549
- Stiffness 25, 50, 57, 82, 149, 150, 181, 211, 215, 216, 230, 232, 235, 244, 246, 247, 249, 250, 253, 262, 264, 286, 288, 292, 293, 294, 297, 316, 318, 319, 383, 421, 422, 450, 454, 455, 456, 496, 503, 504, 505, 572
- Storage 2, 15, 22, 23, 24, 25, 40, 43, 55, 84, 85, 135, 315, 391, 445, 489, 491, 492, 498, 577
- Strain 11, 12, 44, 57, 58, 59, 60, 61, 63, 64, 73, 75, 76, 77, 83, 84, 99, 101, 237, 238, 251, 252, 263, 284, 338, 346, 355, 380, 388, 398, 402, 455, 460, 465, 470, 478, 501, 503, 579, 580
- Strength Design Basis 177
- Strength of Embedment Soil 294
- Stress 10, 11, 12, 32, 33, 41, 44, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 80, 83, 84, 85, 95, 97, 99, 101, 102, 126, 139, 149, 150, 151, 154, 155, 156, 157, 158, 160, 161, 173, 177, 178, 179, 240, 248, 262, 265, 268, 293, 312, 320, 322, 328, 330, 332, 333, 335, 336, 338, 339, 341, 364, 377, 382, 388, 390, 394, 415, 448, 449, 451, 455, 457, 458, 459, 460, 461, 464, 470, 471, 474, 478, 480, 481, 486, 488, 494, 496, 497, 498, 499, 501, 502, 503, 506, 510, 511, 548, 570, 579, 580, 581, 583
- Stress Distribution 583
- Stress Rating 74
- Stub Ends 135, 139, 360
- Submarine Outfalls 386
- Submerged 9, 255, 256, 258, 260, 376, 379, 380, 383, 384, 385, 386, 387, 388, 389, 392, 394, 395, 396, 400, 401, 402, 404, 406, 407, 475
- Sudden Velocity Change 184, 281, 284
- Sunlight 32, 90, 147, 311, 326, 329, 331
- Support 8, 11, 43, 75, 183, 210, 214, 237, 241, 243, 254, 258, 262, 286, 287, 288, 289, 291, 294, 295, 297, 300, 301, 302, 303, 305, 307, 308, 309, 310, 313, 314, 319, 325, 334, 340, 341, 342, 344, 356, 357, 361, 364, 374, 375, 379, 388, 392, 400, 402, 423, 443, 444, 457, 473, 476, 492, 503, 504, 505, 508, 512, 523, 524, 548, 562
- Surcharge Load 216, 225, 226, 227, 228
- Surface damage 27, 441, 547, 596
- Surface Resistivity 103
- Surface Roughness 190, 191, 210, 281
- Suspended From Rigid Structure 335
- Suspended Pipelines 340, 388
- Suspension Spacing 340
- Sustained Pressure 65, 74, 76, 142, 175, 177, 181, 182, 183
- Swagelining 438
- Swelling 86, 584
- Swivels 460, 506, 510
- Symbols 173, 234, 294, 317, 527
- ## T
- Take-Off Equipment 129
- Tamping 290, 298
- Temperature 10, 44, 45, 46, 52, 55, 56, 60, 61, 64, 66, 67, 68, 69, 70, 71, 72, 73, 76, 77, 79, 80, 81, 82, 83, 85, 86, 89, 91, 95, 96, 97, 98, 100, 101, 102, 129, 130, 142, 157, 158, 175, 177, 178, 180, 182, 183, 184, 195, 204, 232, 240, 242, 259, 262, 263, 264, 265, 266, 282, 283, 284, 325, 326, 327, 328, 330, 331, 332, 333, 334, 335, 337, 338, 339, 340, 341, 342, 343, 344, 348, 350, 351, 352, 355, 36, 382, 392, 393, 422, 455, 465, 471, 483, 484, 488, 489, 490, 491, 492, 495, 497, 498, 501, 505, 513, 514, 515, 579, 590
- Temporary Floating Lines 403
- Temporary Repair 537
- Tensile Creep 63
- Tensile Properties 84, 101
- Tensile Strength 55, 82, 83, 142, 147, 363, 430, 431, 455, 464, 471, 496, 497, 507, 522, 578, 586
- Tensile Stress 12, 59, 63, 264, 265, 284, 320, 455, 458, 460, 464, 470, 471, 481, 501, 579
- Terminal Connections 429, 437
- Test Duration 33, 34, 35, 36, 147
- Test Pressure 32, 35, 88
- Test Procedure 35, 53
- Testing 10, 15, 25, 30, 32, 34, 35, 36, 37, 40, 41, 47, 71, 93, 94, 101, 127, 142, 157, 158, 160, 161, 162, 165, 166, 231, 247, 248, 249, 250, 290, 344, 346, 488, 492, 495, 504, 514, 518, 577, 582, 595
- Thermal Conductivity 81, 103, 484
- Thermal Expansion 80, 103, 169, 263, 313, 323, 334, 336, 342, 372, 374, 471, 514, 516, 537, 540, 562
- Thermal Heat Fusion Methods 347
- Thermal Properties 80, 103, 331, 332
- Thermal Stability 91
- Thermoformed Fittings 139
- Threaded Mechanical Fittings 514
- Thrust Anchor 266

Thrust Block 266, 587, 588, 598  
 Timoshenko 222, 224, 245, 583  
 Titeliner 438  
 TN 36 377  
 TN 38 361, 377  
 Torsion Stress 471  
 Toxicological 92  
 TR 33 160  
 TR 41 160  
 Traffic 213, 217, 221, 230, 297, 301, 329, 391, 392, 396, 397, 399, 403, 418, 439, 441, 442, 452, 504, 555, 564, 569, 577, 581, 583, 587  
 Transition 56, 83, 190, 191, 308, 313, 321, 336, 347, 369, 372, 373, 382, 392, 401, 415, 418, 437, 478, 487, 497, 513, 521, 525, 593  
 Transport 16, 79, 85, 86, 87, 197, 205, 325, 327, 330, 402, 403, 443, 491, 497, 526  
 Trench 9, 20, 29, 175, 214, 230, 235, 237, 246, 249, 285, 286, 287, 289, 290, 293, 295, 297, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 314, 315, 319, 386, 392, 400, 401, 402, 428, 451, 456, 488, 493, 503, 507, 508, 509, 521, 564, 565, 566, 568, 570, 571, 587, 601  
 Trenching 289, 379, 380, 386, 453, 488, 493, 495, 507, 508, 509, 510, 525  
 Trenchless 7, 214, 438, 442, 472  
 Truckload 17, 18  
 Turbulent 190, 191, 197, 198, 199, 209, 210, 487  
 Typical Electrofusion Joint. 353  
 Typical Impact Factors For Paved Roads 219

**U**

Ultraviolet 24, 90, 325, 329, 490, 498  
 Unconfined Compressive Strength 236, 289, 303  
 Unconstrained Buckling 243, 258, 457  
 Unconstrained Pipe Wall Buckling 258, 458  
 Undercut 307, 508  
 Underwater Bedding 382  
 Uniform Particle Size 198

Unloading 19, 20, 21, 22, 135, 139, 454  
 Unloading 602  
 Unpaved 219, 220, 221, 222, 245  
 Unrestrained Thermal Effects 263  
 USBR 234, 268

**V**

Vacuum 128, 132, 133, 134, 183, 187, 206, 241, 242, 243, 247, 258, 447, 448, 449, 450, 454, 459, 483, 560, 568, 601  
 Valve 182, 183, 185, 187, 193, 314, 364, 368, 395, 544, 545, 546, 547  
 Vehicle Loading 218, 222  
 Vehicle Loads 219  
 Vehicles 217, 218, 219, 220, 221, 223, 232, 310, 329, 453  
 Velocity 38, 40, 79, 80, 177, 181, 182, 184, 185, 186, 187, 190, 191, 197, 199, 206, 207, 209, 210, 281, 283, 284, 407, 409, 411, 424, 444, 471, 489, 500, 574  
 Vertical Arching Factor 247, 283  
 Vertical Deflection 30, 211, 237, 251, Deflection 293, 502  
 Vertical Soil Pressure 215, 216, 219, 220, 222, 223, 225, 226, 232, 239, 252, 282  
 Vertical Surcharge 227, 229  
 Viscoelastic 59, 93, 197, 242, 259, 319, 450, 454, 460, 465, 501  
 Viscoelasticity 247  
 Voids 136, 309, 312, 570  
 Volume Resistivity 103

**W**

Wall Buckling 215, 216, 244, 246, 247, 258, 259, 260, 282, 458  
 Wall Compressive Stress 239, 240, 244, 283, 458  
 Wall Determination 500, 533  
 Wall Thickness 8, 28, 79, 88, 95, 134, 139, 142, 150, 151, 152, 155, 165, 178, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 329, , 383, 384, 398, 404, 405, 418, 419, 420, 447, 460, 464, 477, 484, 497, 500, 503, 507, 577, 596

Water Service 164, 172, 177, 376, 539  
 Water-Base Slurry Specific Gravities 201  
 Watkins 211, 214, 231, 244, 246, 249, 250, 251, 252, 268, 292, 315, 456, 472  
 Watkins And Spangler 292  
 Weatherability 90, 169  
 Working Pressure Rating 182, 186, 187, 447  
 Workmanship 513  
 WPR 182, 183, 186, 187, 283

**Y**

Yield Strength 50, 244, 283, 319, 356, 357, 431, 0455, 497

**Z**

Zero-Leak-Rate 442